

MATERIAL SAFETY DATA SHEET



Ref: 116 - Emulsion based decorative paints

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY:

Product Name: MASONRY PAINT; SUPER VALUE MATT; SUPER VALUE SILK; CONTRACT MATT

GOLDSEAL MATT; GOLDSEAL SILK; TEXTUREDPAINT

Applications: Decorative Coatings

Supplier: Palace Chemicals Ltd; Speke Hall Industrial Estate; Speke; Liverpool; L24 4AB

Tel: 0151 486 6101; Fax 0151 448 1982

e-mail: sales@palacechemicals.co.uk; web: www.palacechemicals.co.uk

2. COMPOSITION / INFORMATION ON INGREDIENTS:

Ingredients: Water-based emulsion dispersion incorporating fine mineral fillers, Titanium Dioxide pigments; co-

polymer emulsions, cellulose ether, in-can preservative; high boiling point solvents and wetting

agents

Hazardous components: Non applicable

3. HAZARDS IDENTIFICATION:

Classification: Not classified as hazardous

Risk Phrases: Non applicable

4. FIRST AID MEASURES:

Inhalation: Feint acrylic / acetate odour may be more prominent in a poorly ventilated, confined space.

Remove to fresh air and If irritation or breathing difficulties persist, seek medical attention.

Skin contact: Wash off skin immediately with warm soapy water. Remove contaminated clothing and launder

regularly. Where irritation to skin is apparent seek prompt medical attention.

Ingestion: Clean out mouth with copious volumes of water and drink plenty. Do not induce vomiting. Beware

of aspiration if vomiting occurs. Seek prompt medical attention and show this data sheet.

Eye contact: Irrigate thoroughly for 15 minutes with clean running water or a boric saline eye wash bottle. Seek

medical attention should eye irritation persist or become inflamed.

5. FIRE FIGHTING MEASURES:

Extinguishers: THIS PRODUCT IS NON FLAMMABLE

Recommended extinguishers - Dry powder; Foam, C02 - (Polypropylene bucket will support the

spread of fire).

Combustion products: Hazardous decomposition when subject to combustion – none known

Special procedures: Special procedures – N/A



MATERIAL SAFETY DATA SHEET



6. ACCIDENTAL RELEASE MEASURES:

Personal protection: Consult protective Equipment section for advice when handling spillages.

Environmental protection: Avoid direct disposal to drains or watercourses.

Spill removal methods: Scrape spillages into a waste container and wash remaining residues away with warm soapy water

and mark container for disposal in accordance with Local Authority regulations for non-hazardous

water-based decorative paints

7. HANDLING & STORAGE:

Handling precautions: Ensure adequate ventilation and avoid localised sources of heat or prolonged exposure to sunlight.

Store in well-sealed, clearly marked containers. Keep out of reach of children in a cool well-Storage precautions:

ventilated environment and do not stack buckets more than 4 high to avoid risk of collapse.

Usage precautions: Use in accordance with the instructions provided on the packaging.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION:

Exposure limits: Non Applicable.

Process controls: Notify persons occupying property when product is in use and advise necessary precautions. Good

ventilation is necessary when applying in a confined space.

Wear overalls, PVC gloves and safety boots when applying adhesive. Overalls should be worn and Personal protection:

laundered regularly where contact with adhesive is likely.

9. PHYSICAL & CHEMICAL PROPERTIES:

Appearance: Viscous liquids Vapour pressure: As water Colour: White or Magnolia **Evaporation rate:** As water

Density / SG: 1.2 - 1.5 + / - 0.05Viscosity: 5000 - 10,000 Mpa.s +/- 5000

Solubility: Partially in water **Boiling point:** Not applicable Flammability limits: Flash point: Not applicable Not applicable Not applicable 8.5 +/- 1.0 **Auto ignition Temp:** :Ha

10. STABILITY & REACTIVITY:

Conditions to avoid: Extreme temperatures

Materials to avoid: Acids & strong oxidising agents

Decomposition products: Non hazardous

11. TOXICOLOGICAL INFORMATION:

Routes of exposure: Skin contact & ingestion Corrosivity / Irritation: None Acute short term effects: Localised irritation Sensitisation: None

Chronic long term effects None

Mutagenicity: None Toxic dose -LD 50: Carcinogenicity: Not determined None Prolonged exposure effects: Reproductive toxicity: Not determined None



MATERIAL SAFETY DATA SHEET



12. ECOLOGICAL INFORMATION:

Ecotoxicity: Not regarded as dangerous for the environment.

Bio-accumulative potential: Not expected to bio-accumulate

Persistence & degradability: Partially biodegradable

13. DISPOSAL CONSIDERATION:

Disposal Methods: Unused product and freshly contaminated application materials must be disposed of in accordance

with local authority regulations for non hazardous builders waste.

Special requirements: Non applicable.

Regulatory controls: Local authority requirements for disposal of building waste will apply

14. TRANSPORT INFORMATION:

Proper shipping name: Not classified under ADR; CPL; IMDG or IATA for transport

ADR Class No.: Flash point:

UN No. IMDG Class:
ADR Packing Group: IMDG Pack group:
Hazchem Code: Marine pollutant:

15. REGULATORY INFORMATION:

Classification: Not hazardous

Risk phrases: Non applicable

Safety phrases: Keep out of reach of children (S-2)

Avoid contact with skin & eyes (S24 / 25)

In case of contact with eyes rinse immediately with plenty of water & seek medical advice (S 26)

Wear suitable protective clothing, gloves & eye/face protection (S36 / 37 / 39)

UK Regulatory references: Workplace exposure limits EH40

Chemicals (Hazard Information & Packaging) Regulations.

16. OTHER INFORMATION:

Last revision date: 21-11-09

SDS No.: 116 – general data sheet for emulsion paints

Data sources: Regulatory notices & raw material supplier data sheets

Disclaimer: The information supplied in this safety data sheet is intended to assist in the use of the above product without

risk to safety and health and is based on current knowledge and experience of the associated physicochemical hazards. The data does not signify any warranty with regard to the product's properties. This information may be used to assist in formulating a COSHH risk assessment if applied at work. This data sheet

complies with EC Directive 91/155EC.