





Ref: 138 - Strip Away Neutraliser

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY:

1.1 Product Name: STRIP AWAY NEUTRALISER

1.2 Applications: Surface treatment to neutralise residual alkalinity from STRIP AWAY paint remover

1.3 Supplier: Palace Chemicals Ltd; Speke Hall Industrial Estate; Speke; Liverpool; L24 4AB

Tel: 0151 486 6101; Fax 0151 448 1982

e-mail: sales@palacechemicals.co.uk; web: www.palacechemicals.co.uk

1.4 Emergency Telephone No. Tel: 0151 486 6101 – Mon-Fri: 0800 - 1800

2. HAZARDS IDENTIFICATION:

2.1 Classification: (EC 1272/2008): Eye irrit 2; H319: 10% < Conc'n < 25%

Skin irrit 2; H315: 10% < Conc'n < 25%

WARNING

SIGNAL WORD: WARNING

2.2 Label elements:

Hazard statements: H315 Causes skin irritation

H319 Causes serious eye irritation

Precautionary Statements: P264: Wash hands & skin thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

P301: IF SWALLOWED: Rinse mouth. Do Not INDUCE VOMITING

P302: IF ON SKIN: Wash with plenty of soap & water

P303: IF ON SKIN (or hair) Remove take/off immediately all contaminated clothing.

Rinse skin with water/shower

2.3 Other hazards: P304: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305/351/338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a doctor / physician P363: Wash contaminated clothing before re-use. P405: Store locked up & out of reach of children P501: Dispose of contents to hazardous waste.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

3.2 Mixtures:

| oia mixturori | | | | | | | | |
|---------------|----------|-----------|-------------------|---------------------------|--|--|--|--|
| Name: | CAS No.: | EC No.: | Concentration: | Classification: | | | | |
| Acetic Acid | 64-19-7 | 200-580-7 | 10.0% - 20.0% w/w | H226 - H314 - H317 - H334 | | | | |

4. FIRST AID MEASURES:

4.1 Description of measures:

EYE CONTACT: Remove contact lenses and irrigate thoroughly for 15 minutes with clean running

water or a boric saline eye wash bottle. Seek immediate medical attention &

remove any particles with a cotton wool bud.

INHALATION: Remove to fresh air and rest. If irritation or breathing difficulties persist, seek medical attention.

Do not use mouth to mouth ventilation. Obtain immediate medical assistance.

SKIN CONTACT: Wash off skin immediately with water. Remove contaminated clothing and

launder regularly. Where irritation to skin is apparent seek prompt medical

attention.

INGESTION: Clean out mouth with copious volumes of water and drink plenty. Do not induce vomiting.

Seek prompt medical attention and show data sheet.





4.2 Acute & Chronic symptoms: Inhalation: -Spray mist will irritate mucous membranes & respiratory tract

- Symptoms: Breathing difficulties. Cough, chemical pneumonitis, pulmonary oedema

- Repeated or prolonged exposure: Risk of sore throat, nose bleeds, chronic bronchitis

Skin contact - Irritating to skin

- Symptoms: Redness, swelling of tissue, burn. **Eye contact** - Causes serious eye damage.

- Small amounts splashed into eyes can cause irreversible tissue damage.

- May cause permanent eye injury.

- Symptoms: Redness, lachrymation, swelling of tissue.

Ingestion - Severe burns of the mouth and throat, as well as danger of perforation of the

Oesophagus and the stomach.

- Symptoms: Nausea, abdominal pain, bloody vomiting, diarrheoa, suffocation, cough,

Severe shortness of breath.

4.3 Immediate medical attention: Speed is essential. Always obtain immediate medical attention.

5. FIRE FIGHTING MEASURES:

5.1 Extinguishing media: This product is not flammable

5.2 Combustion Hazards: Polypropylene bottle may release noxious fumes (CO/CO2) under combustion.

5.3 Advice for fire-fighters: Fire fighters should wear full protective clothing and self-contained breathing apparatus with

support of chemical shower facilities for immediate wash down after contact.

6. ACCIDENTAL RELEASE MEASURES:

6.1 Personal protection: Wear impermeable PVC overalls, aprons, rubber boots and supply respiratory protective

equipment when there is a risk of noxious vapours at high temperatures.

6.2 Environmental precautions: Contain liquid, absorb onto granules and then wash away fine residues with excess volumes of

water ensuring complete and effective dilution.

6.3 Spill removal methods: Scrape up and re-seal. Wash minor surface residues with water into general drains. Mark

containers for disposal as special waste (acid).

6.4 References to other sections: See section 10 for disposal & Section 8 for exposure control

7. HANDLING & STORAGE:

7.1 Safe handling precautions: Use in well ventilated areas. Avoid handling dust or granules. Always avoid contact with skin &

eyes and ensure nearby provision of shower and eye wash equipment in the event of accidental

contact.

7.2 (a) Safe storage conditions: Store in well-sealed, clearly marked containers. Keep out of reach of children in a cool, dry &

well-ventilated environment preferably within a lockable metal cabinet. Avoid storage outdoors

or where there is a risk of exposure to heat.

7.2 (b) Incompatible materials: Use only in accordance with instructions shown on the container and do not transfer contents to

secondary containers made from metals or any associated alloys. Avoid direct contact with

strong bases

Acute Local effects -

7.3 Specific end uses: For use only as a paint removal poultice in full compliance with the instructions provided.

| 8. EXPOSURE CONTROLS & PERSONAL PROTECTION: | | | | | | | | | |
|--------------------------------------------------|------------------------------|------|----|----------------------------|--------------|--|--|--|--|
| 8.1 Control parameters Substance: | 8 hour exposure limit | | 15 | minute exposure limit | Source. Type | | | | |
| Acetic Acid | 200 ppm (37mg/M3) 8 hour TWA | | 50 | 0ppm (92mg/M3) 10 min STEL | WEL | | | | |
| | | | | | | | | | |
| DNEL's - (Derived No effect levels) for workers: | | | | | | | | | |
| Exposure pattern: | Route | DNEL | • | Dose descriptor | | | | | |
| Acute systemic effects - | Dermal | | | | | | | | |
| Acute systemic effects - | Inhalation | | | _ | | | | | |
| Acute Local effects - | Dermal | | | | | | | | |





8.2 Exposure controls:

Respiratory protection: Will be required if spraying the product and irritating mist may be formed. Ensure

this is carried out in outdoor areas with good ventilation wherever possible



Hand protection: Hand protection is advised by wearing 17" long elbow length heavy duty natural

rubber gloves or gauntlets approved to EN 374 & EN 420 with a BTT rating of > 8

hrs for 50% acid.



Eye protection: Chemical goggles to BS 2092 Goggles should be worn for all applications to help

prevent accidental face/eye contact. The use of an equivalent rated chemical

visor may also be considered to avoid facial splashes



Skin protection: A disposable PVC apron should be worn on top of overalls.

> however if the fabric becomes contaminated these should be laundered immediately. Elasticated wristbands & anklets over-

lapping safety boots & gloves are also advised.





9. PHYSICAL & CHEMICAL PROPERTIES:

1.050 kg/litre Clear liquid Relative density: Appearance: Strong vinegar Water solubility: Complete Odour:

Odour threshold: Solubility in oils: Low n/a Partition coefficient (Kow): pH: < 1.5 n/d Flash point: **Auto-ignition temperature:** n/a n/a Melting point: **Decomposition temperature:** >350'C n/a

Boiling point: >100°C **Evaporation rate:** As water **Evaporation rate:** n/a Viscosity: n/a **Upper/Lower Flam limits:** n/a **Explosive properties:** n/a

Oxidising properties: Vapour pressure: Avoid contact with metals n/a

Vapour density: Particle size: As above n/a

10. STABILITY & REACTIVITY:

10.1 Conditions to avoid: Strong alkalis & high 10.4 Reactivity: Stable under normal use

temperatures

10.2 Incompatible Materials: Reacts with metals to 10.5 Chemical reactivity: hypochlorite bleach

produce hydrogen.

10.3 Decomposition hazards: Liberates irritating vapour 10.6 Risk of hazardous reaction:

when heated

Avoid contact with

Only with strong alkalis

11. TOXICOLOGICAL INFORMATION:

11.1 Information on toxicological effects: LD50 = 1060 mg/kg - skin rabbit; Oral, rat: LD50 = 3310 mg/kg. Judgements on the expected toxicity of this product have been made based upon consideration of its' major components.

Routes of exposure: Skin, eye & inhalation Skin Corrosivity / Irritation: Causes severe burns

Eye damage/irritation: Risk of permanent corneal

Respiratory/skin sensitisation:

Reproductive toxicity: n/a

damage

With prolonged contact

STOT single exposure: Permanent damage to Germ cell Mutagenicity: n/a

mucous membranes

Carcinogenicity: n/a

STOT repeat exposure:

Severe skin damage & dermatitis

Aspiration hazard: n/a





12. ECOLOGICAL INFORMATION:

12.1 Ecotoxicity: Shrimp (aerated water) **12.4 Mobility in soil:** Water soluble so highly

LC50 = 100-330 ppm/48H. mobile

12.2 Bio-accumulative potential: Negligible 12.5 PBT and vPvB result: Nil

12.3 Persistence & degradability: Readily biodegradable **12.6 Other effects:** n/d

13. DISPOSAL CONSIDERATIONS:

13.1 Waste treatment Methods: Waste product to b treated as controlled waste in accordance with local authority regulations.

Any absorbents used for clearing up soils should be disposed of using waste code 15 02 02, for

absorbents contaminated by dangerous substances.

14. TRANSPORT INFORMATION:



 Regulatory Code (Land, Sea & Air):
 ADR
 IMDG
 ICAO

 14.1 UN No.:
 2790
 2790
 2790

14.2 Proper shipping name: Acetic Acid sol'n Acetic Acid sol'n Acetic Acid sol'n

 14.3 ADR Packing Group:
 |||
 |||
 |||
 |||
 |||
 |||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||
 ||

14.5 Environmental hazards.14.6 Special user precautions:14.7 Transport in bulk – IBC code:

15. REGULATORY INFORMATION:

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

All components are listed as existing substances in Europe

Safety, health and environmental regulations / legislation specific for the substance or mixture

All components are listed as existing substances in Europe

UK Regulatory References:

Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. Chemicals (Hazard Information & Packaging) Regulations.

Environmental Listing - Control of Pollution Act 1974. Control of Pollution (Special Waste Regulations) Act 1980.

Statutory Instruments:

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes:

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

EU Legislation:

Dangerous Substance Directive 67/548/EEC.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European

Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

National Regulations:

Users of this product are reminded of their duties under the current Control of Substances Hazardous to Health Regulations and a suitable and sufficient assessment of all the risk should be undertaken before using this product. The guidelines given in the HSE publication COSHH ESSENTIALS - Easy Steps To Control Chemicals gives sound advice for deciding safe working control measures.

Authorisations (Title VII Regulation 1907/2006) - No specific authorisations are noted for this product.

Restrictions (Title VIII Regulation 1907/2006) - No specific restrictions of use are noted for this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this product.





16. OTHER INFORMATION:

Last revision date: 13th May 2015

SDS No.: 138

List of abbreviations used in this SDS:

CAS Chemical abstracts service

CLP Classification, labelling & packaging regulation (EC) No. 1272/2008

DSD Dangerous substances Directive 67/548/EEC
 DPD Dangerous Products Directive 1999/45/EC
 PBT Persistent, Bio-accumulative & Toxic

REACH Registration, Evaluation, Authorisation & Restriction of Chemicals Regulation (EC) 1907/2006

vPvB Very Persistent, very Bio-accumulative

References:

Classification methods:

H Phrases in section 3: H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Training for workers: Employees should receive appropriate training in all aspects of the safe handling and control of this product

for use at work

Disclaimer: The information supplied in this safety data sheet is intended to assist in the use of the above product without

risk to safety and health and is based on current knowledge and experience of the associated physicochemical hazards. The data does not signify any warranty with regard to the product's properties. This information may be used to assist in formulating a COSHH risk assessment if applied at work. This data sheet

complies with EC Directive 91/155EC.