



TECHNICAL DATA SHEET

DEC 2025 Ver 01 - PALNSS 01.12.25



NATURAL STONE SEALER

PROTECT POROUS TILES & NATURAL STONE
FROM WATER BORNE STAINS

- Water based formula
- Micro-penetrating formula
- Maintains the original appearance
- Assists cleaning & maintenance

DESCRIPTION

PALACE NATURAL STONE SEALER is a water-based penetrating sealer that provides maximum oil & water stain repellency and substrate protection while preserving the natural look of the tile & stone surface. It can be used as a grout sealer, tile sealer, masonry sealer and for many other applications. This premium water-based sealer offers the best protection on the most porous natural stone, tile, masonry and grout surfaces in interior and exterior applications.

APPLICATION

Ensure the surface is thoroughly clean, dry and free of all surface deposits. An application of **PALACE NATURAL STONE CLEANER** the 3 days before may assist in achieving an ideal clean surface. Floors must be left to dry for at least 3 days and any under-floor heating switched off 24 hours prior to applying **PALACE NATURAL STONE SEALER**. Apply the product using a smooth (gloss) roller, sponge or non-fibrous cloth, working in one direction and allow it to soak in for 5 – 10 minutes. Highly porous surfaces may require a repeat treatment until no further uptake into the stone is observed. Drying times under ambient conditions will be 3 to 4 hours in good conditions or up to 24 hours in cool external areas.

TECHNICAL DATA

UNIT SIZE	1L
CONSISTENCY	Liquid
COLOUR	Transparent
DENSITY	1.05g/cm ³
PH	-
APPLICATION TEMPERATURES	0 - 40°C

EN ISO 45001



OHS 596309

EN ISO 14001



EMS 85788

EN ISO 9001



FM 01010

📍 Speke Hall Industrial Estate, Speke, Liverpool, L24 1YA
☎ +44 (0) 151 336 9104 @ sales@palacechemicals.co.uk
🌐 www.palacechemicals.co.uk
Registered No. 1377241 England



TECHNICAL DATA SHEET

DEC 2025 Ver 01 - PALNSS 01.12.25

COVERAGE

Depending on surface texture and porosity, 1 litre of **PALACE NATURAL STONE SEALER** will be sufficient to protect up to 40 square metres of Terracotta surfaces for a single coat application depending on surface absorptive properties.

STORAGE

Store in cool, dry, well-ventilated conditions, away from sources of heat, direct sunlight or exposure to frost. Always completely reseal the container after partial use. Keep away from Children.

PROPERTIES

PALACE NATURAL STONE SEALER is a traditional linseed oil-based treatment for the protection and enhancement of old stone tiles, quarry tiles and terracotta floors. It provides a water repellent, semi-sheen protective finish which deepens and enhances the colour intensity of natural stone and can be buffed and built up to a gloss finish where required.

HEALTH & SAFETY

This product is NOT suitable for spray application.

Contains: 1,2-benzisothiazol-3(2H)-one, 2-methylisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). Avoid contact with skin & eyes. In case of contact with eyes rinse immediately with water and seek medical attention. May cause an allergic skin reaction.

QUALITY & ENVIRONMENT

All Palace Chemicals products are manufactured under a BSI accredited ISO 9001:2015 Quality Management System, along with an ISO 14001 Environmental Management system continually working to reduce our carbon footprint.

TECHNICAL ADVICE

Should further technical information be required, call the Palace Chemicals Technical Helpline on 0151 336 9104.

DISCLAIMER

The information provided by this Technical data sheet is given in good faith and is to the best of our current knowledge true and accurate. Our products are guaranteed against defective materials and manufacture and will be replaced or money refunded if the goods do not comply with our promotional literature. We cannot however accept responsibility arising from the application or use of our products because we have no direct or control over where and how our products are stored and used. All products are sold and guaranteed subject to our terms and conditions of sale, copies of which may be obtained on request.

EXTENSIVE PRODUCT RANGE

We offer the most extensive range of Tiling & Flooring products in the UK.

EXPERTLY MANUFACTURED

The quality of the Palace product range is ensured by state-of-the-art manufacturing systems, which offer the required high-volume capacity to deliver Quality products every time.



EN ISO 45001



OHS 596309

EN ISO 14001



EMS 85788

EN ISO 9001



FM 01010

📍 Speke Hall Industrial Estate, Speke, Liverpool, L24 1YA

☎ +44 (0) 151 336 9104 @ sales@palacechemicals.co.uk

🌐 www.palacechemicals.co.uk

Registered No. 1377241 England

Page 2 of 2