



DECLARATION OF PERFORMANCE

No. 56-20 / 1-CPR/2022

	e identification code of the product type: PALACE SHOWER-PROOF WALL TI	LE ADHESIVE (56 20)
			56-20)
. Batch	Batch / serial No. identifying the construction product as required under Article 11(4) NB. Batch number is printed on the side of the pack with date of manufacture.		
. Intend	Intended use in accordance with the harmonised standard: Normal dispersion adhesive with reduced slip & extended open time for internal tiling		
. Name	& contact address of the Manufacturer: PALACE CHEMICALS Speke Hall Industrial Estate; Spe L24 1YA		
. Name	& contact address of the authorised representative whose main Not applicable		pecified in Article 12(2)
. Systen	n of assessment & verification of constancy of performance as System 3	set out in Annex V:	
Th	EN Standard: EN 12004:2007 + A1:2 Ne notified body No. NB1289 CERAM (LUCIDEON) performed t under system 3 and issued the fo Test report (17574)-43 red Performance:	he test according to llowing report:	EN 12004:2007 + A1:2012
Γo harmo	nised technical specification: EN 12004:2007 + A1:201	12	
	Essential characteristics	Performance	Harmonised technical specification
	Bond strength as: • Initial shear adhesion strength Open time tensile adhesion strength:	> 1.0 N/mm2	
	Tensile strength after 30 minutes open time Durability for:	> 0.5 N/mm2	EN 12004:2007 + A1:2012
	Shear adhesion strength after heat ageing Reaction to Fire	> 1.0 N/mm2 Class E	

9. Declaration:

The performance of the above product identified in points 1 & 2 is in conformity with the declared performance as defined under EN 12004:2007 + A1:2012. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for & behalf of Palace Chemicals Ltd:



EN ISO 9001

FM 01010

Jim Percival - Technical Director – Palace Chemicals Ltd

Date: 21st June 2021









