

80-40 - STRIP AWAY PRO



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier:** 80-40 - STRIP AWAY PRO

Other means of identification:

5P30-N0C8-100A-UE6V

UFI:

Relevant identified uses of the substance or mixture and uses advised against: 1.2

Relevant uses: Stripper. For industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Palace Chemicals Ltd Speke Hall Industrial Estate L24 1YA Liverpool - United Kingdom

Emergency telephone number: 0151 486 6101 1.4

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity, Category 4, H302+H312 Carc. 2: Carcinogenicity, Category 2, H351 STOT RE 2: Specific target organ toxicity — Repeated exposure, Hazard Category 2, H373

2.2 Label elements:

Warning

CLP Regulation (EC) No 1272/2008:



Hazard statements:

Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin. Carc. 2: H351 - Suspected of causing cancer. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P201: Obtain special instructions before use.

- P260: Do not breathe dust/fume/gas/mist/vapours/spray.
- P264: Wash thoroughly after handling.
- P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.
- P302+P352: IF ON SKIN: Wash with plenty of water.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTER/doctor if you feel unwell.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

Substances that contribute to the classification

Dichloromethane; methanol; WHITE SPIRIT

Additional Labelling:

Restricted to industrial use and to professionals approved in certain EU Member States verify where use is allowed.

UFI: 5P30-N0C8-J00A-UE6V

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:





SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of organic substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
CAS:	75-09-2	Dichloromethane ⁽¹⁾	ATP C	CLP00	
EC: Index: REACH:	200-838-9 602-004-00-3 01-2119480404-41- XXXX	Regulation 1272/2008	Carc. 2: H351 - Warning	الله الله الم	75 - <100 %
CAS:	67-56-1	methanol ⁽¹⁾	ATP C	CLP00	
EC: Index: REACH:	200-659-6 603-001-00-X 01-2119433307-44- XXXX	Regulation 1272/2008	Acute Tox. 3: H301+H311+H331; Flam. Liq. 2: H225; STOT SE 1: H370 - Danger 🔶	۵ 🕹	1 - <2.5 %
CAS:	64742-82-1	WHITE SPIRIT ⁽²⁾	Self-c	lassified	
EC: Index: REACH:			Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; STOT RE 1: H372; STOT SE 3: H336; EUH066 - Danger	 E 	1 - <2.5 %
CAS:	1330-20-7	Xylene ⁽³⁾	ATP C	CLP00	
EC: Index: REACH:	215-535-7 601-022-00-9 01-2119488216-32- XXXX	Regulation 1272/2008	Acute Tox. 4: H312+H332; Flam. Liq. 3: H226; Skin Irrit. 2: H315 - Warning	() ()	<1 %
CAS:	95-47-6	o-xylene ⁽³⁾	ATP C	CLP00	
EC: Index: REACH:	202-422-2 601-022-00-9 01-2119485822-30- XXXX	Regulation 1272/2008	Acute Tox. 4: H312+H332; Flam. Liq. 3: H226; Skin Irrit. 2: H315 - Warning	() ()	<1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

(2) Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878
 (3) Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
methanol CAS: 67-56-1 EC: 200-659-6	% (w/w) >=10: STOT SE 1 - H370 3<= % (w/w) <10: STOT SE 2 - H371

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:





SECTION 4: FIRST AID MEASURES (continued)

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

it is recommended to avoid environmental spillage of both the product and its container

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE



SECTION 7: HANDLING AND STORAGE (continued)

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:30 °CMaximum time:12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
Dichloromethane	IOELV (8h)	100 ppm	353 mg/m ³
CAS: 75-09-2 EC: 200-838-9	IOELV (STEL)	200 ppm	706 mg/m ³
methanol	IOELV (8h)	200 ppm	260 mg/m ³
CAS: 67-56-1 EC: 200-659-6	IOELV (STEL)		
Xylene	IOELV (8h)	50 ppm	221 mg/m ³
CAS: 1330-20-7 EC: 215-535-7	IOELV (STEL)	100 ppm	442 mg/m ³
o-xylene	IOELV (8h)	50 ppm	221 mg/m ³
CAS: 95-47-6 EC: 202-422-2	IOELV (STEL)	100 ppm	442 mg/m ³

DNEL (Workers):

		Short e	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
Dichloromethane	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 75-09-2	Dermal	Non-applicable	Non-applicable	12 mg/kg	Non-applicable
EC: 200-838-9	Inhalation	Non-applicable	Non-applicable	176 mg/m ³	Non-applicable
methanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-56-1	Dermal	20 mg/kg	Non-applicable	20 mg/kg	Non-applicable
EC: 200-659-6	Inhalation	130 mg/m ³	130 mg/m ³	130 mg/m ³	130 mg/m ³
WHITE SPIRIT	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64742-82-1	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 265-185-4	Inhalation	1286,4 mg/m ³	1066,67 mg/m ³	Non-applicable	837,5 mg/m ³



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long e	exposure
Identification		Systemic	Local	Systemic	Local
Xylene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1330-20-7	Dermal	Non-applicable	Non-applicable	212 mg/kg	Non-applicable
EC: 215-535-7	Inhalation	442 mg/m ³	442 mg/m ³	221 mg/m ³	221 mg/m ³
o-xylene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 95-47-6	Dermal	Non-applicable	Non-applicable	212 mg/kg	Non-applicable
EC: 202-422-2	Inhalation	442 mg/m ³	442 mg/m ³	221 mg/m ³	221 mg/m ³

DNEL (General population):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Dichloromethane	Oral	Non-applicable	Non-applicable	0,06 mg/kg	Non-applicable
CAS: 75-09-2	Dermal	Non-applicable	Non-applicable	5,82 mg/kg	Non-applicable
EC: 200-838-9	Inhalation	Non-applicable	Non-applicable	44 mg/m ³	Non-applicable
methanol	Oral	4 mg/kg	Non-applicable	4 mg/kg	Non-applicable
CAS: 67-56-1	Dermal	4 mg/kg	Non-applicable	4 mg/kg	Non-applicable
EC: 200-659-6	Inhalation	26 mg/m ³	26 mg/m ³	26 mg/m ³	26 mg/m ³
WHITE SPIRIT	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64742-82-1	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 265-185-4	Inhalation	1152 mg/m ³	640 mg/m ³	Non-applicable	178,57 mg/m ³
(ylene	Oral	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
CAS: 1330-20-7	Dermal	Non-applicable	Non-applicable	125 mg/kg	Non-applicable
EC: 215-535-7	Inhalation	260 mg/m ³	260 mg/m ³	65,3 mg/m ³	65,3 mg/m ³
o-xylene	Oral	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
CAS: 95-47-6	Dermal	Non-applicable	Non-applicable	125 mg/kg	Non-applicable
EC: 202-422-2	Inhalation	260 mg/m ³	260 mg/m ³	65,3 mg/m ³	65,3 mg/m ³
PNEC:					•

PNEC:					
	Identification				
Dichloromethane		STP	26 mg/L	Fresh water	0,31 mg/L
CAS: 75-09-2		Soil	0,33 mg/kg	Marine water	0,031 mg/L
EC: 200-838-9		Intermittent	0,27 mg/L	Sediment (Fresh water)	2,57 mg/kg
		Oral	Non-applicable	Sediment (Marine water)	0,26 mg/kg
methanol		STP	100 mg/L	Fresh water	20,8 mg/L
CAS: 67-56-1		Soil	100 mg/kg	Marine water	2,08 mg/L
EC: 200-659-6		Intermittent	1540 mg/L	Sediment (Fresh water)	77 mg/kg
		Oral	Non-applicable	Sediment (Marine water)	7,7 mg/kg
Xylene	$\langle \rangle$	STP	6,58 mg/L	Fresh water	0,327 mg/L
CAS: 1330-20-7		Soil	2,31 mg/kg	Marine water	0,327 mg/L
EC: 215-535-7		Intermittent	0,327 mg/L	Sediment (Fresh water)	12,46 mg/kg
		Oral	Non-applicable	Sediment (Marine water)	12,46 mg/kg
o-xylene		STP	1,6 mg/L	Fresh water	0,009 mg/L
CAS: 95-47-6		Soil	0,095 mg/kg	Marine water	0,001 mg/L
EC: 202-422-2		Intermittent	0,001 mg/L	Sediment (Fresh water)	0,5 mg/kg
1		Oral	Non-applicable	Sediment (Marine water)	0,05 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the occupational exposure limits. In case of using personal protective equipment it should have CE marking in accordance with Directive 2016/425/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.





D			AL INUTLUT.	ION (continued)		
D	Respiratory prote	ction				
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory respiratory tract protection	Filter mask for gases and vapours	CAT III	EN 405:2002+A1:2010	c	blace when there is a taste or smell of th ontaminant inside the face mask. If the contaminant comes with warnings it is commended to use isolation equipment.
C	Specific protection	n for the hands				
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory hand protection	NON-disposable chemical protective gloves		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	8 manuf the p	he Breakthrough Time indicated by the acturer must exceed the period during w roduct is being used. Do not use protect ns after the product has come into conta with skin.
					erial car	not be calculated in advance wi
	•	d has therefore to be che	ecked prior to th	ne application.		
D	Eye and face prot					
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory face protection	Face shield	CAT II	EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018		daily and disinfect periodically according anufacturer's instructions. Use if there risk of splashing.
E	Body protection			4		
	Pictogram	PPE	Labelling	CEN Standard		Remarks
	Mandatory complete body protection	Disposable clothing for protection against chemical risks	CAT III	EN 13034:2005+A1:2009 EN 168:2002 EN 150 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1994		r professional use only. Clean periodically ording to the manufacturer's instruction:
	Mandatory foot protection	Safety footwear for protection against chemical risk	CAT III	EN ISO 20345:2011 EN 13832-1:2019	Re	place boots at any sign of deterioration.
F	Additional emerge	ency measures				
	Emergency mea	asure S	tandards	Emergency meas	ure	Standards
	Emergency sho	ISO 3864-1:20	ISI Z358-1 011, ISO 3864-4:20	11 Eyewash statio	ns	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
	vironmental exp	osure controls:				
Env						mmended to avoid environmental
In a spil		roduct and its container.	For additional i			
In a spil Vol	lage of both the p latile organic co	roduct and its container.				
In a spil Vol Wit	lage of both the p latile organic co	roduct and its container. mpounds: ive 2010/75/EU, this pro				
In a spil Vol Wit	lage of both the p l atile organic co h regard to Direct	roduct and its container. mpounds: ive 2010/75/EU, this pro 93 %	duct has the fol	lowing characteristics:		

V.O.C. (Supply):	93 % weight
V.O.C. density at 20 °C:	1180 kg/m³ (1180 g/L)
Average carbon number:	1,18
Average molecular weight:	84,09 g/mol





SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S
9.1	Information on basic physical and chemical pro	operties:
	For complete information see the product datasheet.	
	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Colorless
	Colour:	Not available
	Odour:	Characteristic
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	>55 °C
	Vapour pressure at 20 °C:	43993 Pa
	Vapour pressure at 50 °C:	135260,37 Pa (135,26 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1269 kg/m ³
	Relative density at 20 °C:	1,269
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	>200 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	275 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	Nan annliabha
0.2	Median equivalent diameter: Other information:	Non-applicable
9.2	Information with regard to physical hazard clas	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	5,77 kJ/g
	Aerosols-total percentage (by mass) of flammable	Non-applicable *
	components:	
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	property of its hazards

*Not relevant due to the nature of the product, not providing information property of its hazards.



legislation

80-40 - STRIP AWAY PRO



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Refraction index:

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Above all, may have harmful effects for health if the product is absorbed through the skin. For more information on the secondary effects of skin contact see section 2.
 - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):





SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Exposure to this product can cause cancer. For more specific information on the possible health effects see section 2.
 - IARC: Dichloromethane (2A); Xylene (3); o-xylene (3); WHITE SPIRIT (3); ethanol (1)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous as a result of a single exposure. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

- Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

	Identification	A	cute toxicity	Genus
methanol		LD50 oral	100 mg/kg	
CAS: 67-56-1		LD50 dermal	300 mg/kg	
EC: 200-659-6		LC50 inhalation	3 mg/L (4 h)	Rat
Dichloromethane		LD50 oral	Non-applicable	
CAS: 75-09-2		LD50 dermal	Non-applicable	
EC: 200-838-9		LC50 inhalation	86 mg/L (4 h)	Rat
Xylene		LD50 oral	3523 mg/kg	Rat
CAS: 1330-20-7		LD50 dermal	1100 mg/kg	
EC: 215-535-7		LC50 inhalation	Non-applicable	
o-xylene		LD50 oral	1590 mg/kg	Mouse
CAS: 95-47-6		LD50 dermal	Non-applicable	
EC: 202-422-2		LC50 inhalation	Non-applicable	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:





80-40 - STRIP AWAY PRO

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus	
Dichloromethane	LC50	330 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 75-09-2	EC50	270 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 200-838-9	EC50	2300 mg/L (3 h)	Chlorella vulgaris	Algae	
methanol	LC50	15400 mg/L (96 h)	Lepomis macrochirus	Fish	
CAS: 67-56-1	EC50	12000 mg/L (96 h)	Nitrocra spinipes	Crustacean	
EC: 200-659-6	EC50	530 mg/L (168 h)	Microcystis aeruginosa	Algae	
WHITE SPIRIT	LC50	>1 - 10 mg/L (96 h)		Fish	
CAS: 64742-82-1	EC50	>1 - 10 mg/L (48 h)		Crustacean	
EC: 265-185-4	EC50	>1 - 10 mg/L (72 h)		Algae	
o-xylene	LC50	16,1 mg/L (96 h)	Lepomis macrochirus	Fish	
CAS: 95-47-6	EC50	1,39 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 202-422-2	EC50	Non-applicable			

Chronic toxicity:

Identification	Concentration		Species	Genus
Dichloromethane	NOEC	357 mg/L	Pimephales promelas	Fish
CAS: 75-09-2 EC: 200-838-9	NOEC	Non-applicable		
methanol	NOEC	15800 mg/L	Oryzias latipes	Fish
CAS: 67-56-1 EC: 200-659-6	NOEC	122 mg/L	Daphnia magna	Crustacean
Xylene	NOEC	1,3 mg/L	Oncorhynchus mykiss	Fish
CAS: 1330-20-7 EC: 215-535-7	NOEC	1,17 mg/L	Ceriodaphnia dubia	Crustacean
o-xylene	NOEC	1,3 mg/L	Oncorhynchus mykiss	Fish
CAS: 95-47-6 EC: 202-422-2	NOEC	1,57 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification		gradability Biodegradability		ility
Dichloromethane	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 75-09-2	COD	Non-applicable	Period	28 days
EC: 200-838-9	BOD5/COD	Non-applicable	% Biodegradable	13 %
methanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 67-56-1	COD	1,42 g O2/g	Period	14 days
EC: 200-659-6	BOD5/COD	Non-applicable	% Biodegradable	92 %
Xylene	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 1330-20-7	COD	Non-applicable	Period	28 days
EC: 215-535-7	BOD5/COD	Non-applicable	% Biodegradable	88 %
o-xylene	BOD5	Non-applicable	Concentration	36 mg/L
CAS: 95-47-6	COD	Non-applicable	Period	28 days
EC: 202-422-2	BOD5/COD	Non-applicable	% Biodegradable	70 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification		Bioaccumulation potential	
Dichloromethane	BCF	6	
CAS: 75-09-2	Pow Log	1.25	
EC: 200-838-9	Potential	Low	
methanol	BCF	3	
CAS: 67-56-1	Pow Log	-0.77	
EC: 200-659-6	Potential	Low	
Xylene	BCF	9	
CAS: 1330-20-7	Pow Log	2.77	
EC: 215-535-7	Potential	Low	





SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential		
o-xylene	BCF	6	
CAS: 95-47-6	Pow Log	3.12	
EC: 202-422-2	Potential	Low	

12.4 Mobility in soil:

Identification	Absorp	tion/desorption	Volatility	
Dichloromethane	Кос	Non-applicable	Henry	Non-applicable
CAS: 75-09-2	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 200-838-9	Surface tension	2,877E-2 N/m (25 °C)	Moist soil	Non-applicable
methanol	Кос	Non-applicable	Henry	Non-applicable
CAS: 67-56-1	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 200-659-6	Surface tension	2,355E-2 N/m (25 °C)	Moist soil	Non-applicable
Xylene	Кос	202	Henry	524,86 Pa·m ³ /mol
CAS: 1330-20-7	Conclusion	Moderate	Dry soil	Yes
EC: 215-535-7	Surface tension	Non-applicable	Moist soil	Yes
o-xylene	Кос	537	Henry	524,86 Pa·m ³ /mol
CAS: 95-47-6	Conclusion	Low	Dry soil	Yes
EC: 202-422-2	Surface tension	2,96E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties: Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 03 05*	organic wastes containing hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP7 Carcinogenic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



80-40 - STRIP AWAY PRO



SECTION 14: TRANSPORT INFORMATION (continued) 14.1 UN number or ID number: UN2810 14.2 UN proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (Dichloromethane) 14.3 Transport hazard class(es): 6.1	
 14.2 UN proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (Dichloromethane) 14.3 Transport hazard class(es): 6.1 	
14.3 Transport hazard class(es): 6.1	
Labels: 6.1	
6 14.4 Packing group: II 14.5 Environmental hazards: No	
14.6 Special precautions for user	
Special regulations: 274, 614	
Tunnel restriction code: D/E	
Physico-Chemical properties: see section 9	
Limited quantities: 100 mL	
14.7 Maritime transport in bulk Non-applicable	
according to IMO	
instruments:	
Transport of dangerous goods by sea:	
With regard to IMDG 40-20:	
14.1 UN number or ID number: UN2810	
14.2 UN proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (Dichloromethane)	
14.3 Transport hazard class(es): 6.1	
Labels: 6.1	
14.4 Packing group: II	
6 14.5 Marine pollutant: No	
14.6 Special precautions for user Special regulations: 274	
EmS Codes: F-A, S-A	
Physico-Chemical properties: see section 9	
Limited quantities: 100 mL	
Segregation group: Non-applicable	
14.7 Maritime transport in bulk Non-applicable	
according to IMO	
instruments:	
Transport of dangerous goods by air:	
With regard to IATA/ICAO 2023:	
14.1 UN number or ID number: UN2810	
14.2 UN proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (Dichloromethane)	
6 14.3 Transport hazard class(es): 6.1 6 14.4 Packing group: II	
6 14.4 Packing group: II	
14.5 Environmental hazards: No	
14.6 Special precautions for user	
Physico-Chemical properties: see section 9	
14.7 Maritime transport in bulk Non-applicable	
according to IMO	
instruments:	

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: Non-applicable





SECTION 15: REGULATORY INFORMATION (continued)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Contains more than 0.1 % of Dichloromethane by weight. This product may not be distributed for first-time sale to private persons or professionals in its present form after 6th December 2010, and may not be distributed for sale to private persons, professionals or the general public in any form whatsoever after 27th December 2010. It may not be used by professionals after 6th June 2012, and its use shall be restricted to industrial applications.

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure.

H302+H312: Harmful if swallowed or in contact with skin.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled.

Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Carc. 2: H351 - Suspected of causing cancer.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure.

STOT SE 1: H370 - Causes damage to organs.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Carc. 2: Calculation method

STOT RE 2: Calculation method

Acute Tox. 4: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.





SECTION 16: OTHER INFORMATION (continued)

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50 LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.