

Ver 04 - PALPAT 28.10.24

# PATIO CLEANER

## CONCENTRATED CLEANER & FUNGICIDAL WASH

- CAN BE DILUTED OR USED NEAT
- REMOVES GREEN ALGAE & MOULD
- EFFECTIVE ON PAVING & WALLS
- BRUSH OR SPRAY APPLIED
- SMALL TEST AREA RECOMMENDED



### PALACE PATIO CLEANER

Is a concentrated cleaning solution, designed to remove and eradicate the growth of unsightly surface mould, moss and green algae. Patio Cleaner is suitable for use on concrete paving, block-work, concrete driveways and stone in-sets. Also applicable on most common types of masonry, a small test area application is recommended to verify compatibility.

SUITABLE ON  
MASONRY

DESIGNED TO REMOVE  
SURFACE MOULD

# PATIO CLEANER

## Concentrated Cleaner & Fungicidal Wash



### DESCRIPTION

**PALACE PATIO CLEANER** is a concentrated cleaner & fungicidal wash designed to prevent and eradicate the growth of unsightly surface mould, moss and green algae on most common masonry surfaces. It is suitable for use on concrete paving, block-work, concrete driveways and stone in-sets. It can also be used on most common types of masonry wall surfaces although a small test area application is recommended to verify compatibility and efficacy on the chosen surface. The concentrated formula reduces the need for bulky packaging and allows the end user to dilute on site whereby 5 litres of concentrate will yield up to 25 litres of ready to use cleaning solution. **PALACE PATIO CLEANER** dilutes to a water-thin ready to use consistency, which is ideal for spray application where large areas of paving are to be treated.

### SURFACE PREPARATION

Prepare a surface by removing all established fungal growths and any other unwanted vegetation using a scraper or a stiff brush to reveal bare masonry and shake well before use to ensure consistency. Do not apply where there is a risk to running watercourses or fish ponds and any run off of the product to surrounding vegetation should be saturated with water.

### APPLICATION METHOD

Paths and patios may be treated using a watering can fitted with a disperser head to ensure complete and consistent coverage. Areas affected by extensive, well-established mould growth may be treated following the removal of all unwanted vegetation. Allow the solution to stand for about 5 minutes then vigorously scrub it into the surface with a stiff yard brush to ensure complete penetration. Allow a further 20 to 30 minutes for the solution to soak into the masonry then rinse off any excess treatment with hose applied water, directed to a nearby drain where possible.

### COVERAGE

Depending upon the texture and porosity of the masonry surface, **PALACE PATIO CLEANER** when applied as single coat will cover as 1 litre of diluted product being effective over 8 to 20 square metres depending on the condition, texture and porosity of the treated surface. Repeat applications may be necessary on areas where mould and algae has been previously well established, or where the substrate is particularly porous and friable.

### STORAGE AND PACKAGING

**PALACE PATIO CLEANER** is available in 5 litre poly bottles packed as 4 per case, sealed with a child resistant closure. Store in cool, well-ventilated conditions and do not expose to frost or extreme temperatures.

### HEALTH AND SAFETY

#### Causes skin & serious eye irritation.

Wash hands & skin thoroughly after handling  
Wear protective gloves/protective clothing/  
eye protection/face protection.

IF SWALLOWED: Rinse mouth. Do Not  
INDUCE VOMITING; IF ON SKIN (or hair)  
wash with plenty of soap & water.

IF IN EYES: Rinse cautiously with water for  
several minutes. Remove contact lenses, if present and  
easy to do and then continue rinsing. If skin & eye irritation  
persists get medical advice/treatment and immediately call  
a doctor / physician.



#### WARNING

A complete PALACE material safety data sheet is available on request or online at [www.palacechemicals.co.uk](http://www.palacechemicals.co.uk)

### QUALITY AND ENVIRONMENT

All Palace Chemicals products are manufactured under a BSI accredited ISO 9001:2015 Quality Management System, along with an ISO 14001 Environmental Management system continually working to reduce our carbon footprint.

### TECHNICAL ADVISORY SERVICE

Should more specific technical information be required, contact the Palace Technical helpline on: **0151 486 6101**.

For a Technical Specification and quantity requirements, visit our 'TilingSpecifier' on the Palace website at:

<http://www.palacechemicals.co.uk>

### DISCLAIMER

The information provided by this Technical data sheet is given in good faith and is to the best of our current knowledge true and accurate. Our products are guaranteed against defective materials and manufacture and will be replaced or money refunded if the goods do not comply with our promotional literature. We cannot however accept responsibility arising from the application or use of our products because we have no direct or control over where and how our products are stored and used. All products are sold and guaranteed subject to our terms and conditions of sale, copies of which may be obtained on request.



EN ISO 45001



OHS 596309

EN ISO 14001



EMS 85788

EN ISO 9001



FM 01010

**PALACE CHEMICALS LTD**

SPEKE HALL INDUSTRIAL ESTATE

SPEKE LIVERPOOL L24 1YA

TEL: 0151 486 6101 - FAX: 0151 448 1982

E-MAIL: [SALES@PALACECHEMICALS.CO.UK](mailto:SALES@PALACECHEMICALS.CO.UK)