



Tiling & Flooring

# Product Brochure

Preparation / Levellers  
Ready For Use Adhesives  
Cementitious Adhesives  
Tile Grouts

# Contents


04



## Preparation

Primer ..... 4-5

04



## Levelling

Pro 12 Floor Leveller ..... 4-5

Pro 30 Floor Leveller ..... 4-5

Pro 50 Floor Leveller ..... 4-5



06

## Ready For Use Adhesives

Kitchen & Bathroom ..... 6-7

Showerproof ..... 6-7

Fix & Grout ..... 6-7



**08**

**Wall & Floor  
Tile Adhesives**

Rapid Set ..... 8-9  
 Universal Flexible ..... 8-9  
 Standard Set Flexible ..... 8-9  
 Rapid Set Flexible ..... 8-9



**10**

**S1 Wall & Floor  
Tile Adhesives**


Standard Set Flexible ..... 10-11  
 Semi-Rapid Flexible ..... 10-11  
 Rapid Set Flexible ..... 10-11



**12**

**Wall & Floor Tile  
Grouts**

Ready Mixed Wall Tile Grout ..... 12-13  
 Wall Tile Grout ..... 12-13  
 Mould Resistant Tile Grout ..... 12-13



**nx**

# Preparation & Levelling

The NX Primer is ideal for stabilising, sealing and bonding to a wide range of substrates. Meanwhile the variety of the levellers can be laid to a multitude of substrates including concrete, screed, flooring grade asphalt, terrazzo & existing quarry and vinyl tiles.



## Primer

- Stabilises Porous Surfaces
- Enhances Bond
- Reduced Surface Suction
- Concentrated Primer
- Effective Over Impermeable Surfaces



PRIMING



SEALING



BONDING

| 5L



## Pro 12 Floor Leveller

- Level From 2-12mm In A Single Pour
- Excellent Levelling & Flow Properties
- Walk On > 4 Hrs & Floor Covering > 8 Hrs
- Can Be Mixed With Pro 12 Latex



SETS IN 4 HOURS



SMOOTH FINISH



INTERIOR USE



UNDERFLOOR HEATING

| 20kg

Grey



## Pro 30 Floor Leveller

- Level From 2-30mm In A Single Pour
- Ultra Fast Drying
- Fix Tiles > 45 Mins & Vinyl > 90 Mins
- Ideal For Time Limited Projects



ULTRA RAPID SETTING IN 45 MINS



SMOOTH FINISH



INTERIOR USE



UNDERFLOOR HEATING

| 20kg

Beige



## Pro 50 Floor Leveller

- Level From 3-50mm In A Single Pour
- Excellent Flow & Smooth Finish
- Fix Tiles > 4 Hours & Vinyl > 24 Hours
- Fibre Reinforced



FOOT TRAFFIC IN 4 HOURS



FIBRE REINFORCED



INTERIOR & EXTERIOR



UNDERFLOOR HEATING

| 20kg

Grey



# Ready For Use Adhesives

Renovate and restyle your kitchen & bathrooms with our highly effective wall tile solutions, ideal for ceramic tiles. Featuring high initial grab and superb non-slip, ready for use Tile Adhesives.



## Kitchen & Bathroom Ceramic Wall Tile Adhesive

- Non-Slip
- High Bond Strength
- Splash Resistant
- High Initial Grab



READY TO GROUT IN 24 HOURS



INTERNAL USE



CERAMIC WALL TILES ONLY



NON-SLIP

15kg



## Showerproof Ceramic Wall Tile Adhesive

- Non-Slip
- High Bond Strength
- Water Resistant
- Suitable For Commercial & Domestic Installation



READY TO GROUT IN 24 HOURS



DESIGNED FOR USE IN SHOWERS



CERAMIC WALL TILES ONLY



NON-SLIP

15kg



## Fix & Grout

- Dual Purpose Adhesive & Grout
- Very High Bond Strength
- Brilliant White
- Non-Slip
- Water Resistant



SETS IN 24 HOURS



INTERIOR USE



NON-SLIP



WATER RESISTANT

Handy Tube  
1.5 / 7.5kg

White



# Wall & Floor Tile Adhesives

Give your tiling project the royal treatment using one of our high quality wall & floor tile adhesives. Equips the fixer with a range of Rapid Set and Standard Setting solutions for controlled application, flexibility and instant bond. Available in White & Grey.



## Rapid Set Tile Adhesive

- 3 Hour Set Time
- Suitable For Ceramic & Porcelain Tiles
- 30 Minute Pot-Life
- Suitable For Internal & External Use




Grey



## Universal Flexible Tile Adhesive

- Suitable For Underfloor Heating
- 3 Hour Set Time
- Suitable For Internal & External Use




White



## Standard Set Flexible Tile Adhesive

- Extended Open Time
- 16-24 Hour Set Time
- Suitable For Internal & External Use



White

Grey



## Rapid Set Flexible Tile Adhesive

- Suitable For Most Tile Types
- 3 Hour Set Time
- Suitable For Internal & External Use



White

Grey



# S1 Wall & Floor Tile Adhesives

Our high quality, flexible wall & floor S1 tile adhesives provides deformable, permanent fixing power for various tiles and projects. Rapid Set, Semi-Rapid and Standard Setting solutions are readily available in White & Grey.



## Standard Set Flexible S1 Wall & Floor Tile Adhesive

- Extended Open Time
- 16-24 Hour Set Time
- Increased Flexural Strength
- Can Be Used With Underfloor Heating
- Suitable For Internal & External Use



SETS IN 16 TO 24 HOURS



INTERIOR & EXTERIOR



FIBRE REINFORCED



S1



UNDERFLOOR HEATING

White

Grey



## Semi-Rapid Flexible S1 Wall & Floor Tile Adhesive

- Extended Open Time
- 6 Hour Set Time
- High Bond Strength
- Can Be Used With Underfloor Heating
- Ideal For Mosaics & Large Format Tiles



SETS IN 6 HOURS



INTERIOR & EXTERIOR



FIBRE REINFORCED



S1



UNDERFLOOR HEATING

White

Grey



## Rapid Set Flexible S1 Wall & Floor Tile Adhesive

- Extended Open Time
- 3 Hour Set Time
- Suitable For Most Tile Types
- Fibre Reinforced
- Suitable For Internal & External Use



EXTENDED OPEN TIME



INTERIOR & EXTERIOR



FIBRE REINFORCED



S1



UNDERFLOOR HEATING

White

Grey



# Wall & Floor Tile Grouts

Our Grouting range provides you with total control and a lasting resistance to discolouration within your tiled areas. Our offerings include a ready mixed grout for ease of use (4 colours), white wall tile grout and a mould resistant wall & floor tile grout (4 colours).



## Ready Mixed Wall Tile Grout

- Suitable For Porcelain, Ceramic or Mosaic Wall Tiles
- For Joints Up To 5mm
- Resists Black Spot Mould
- For Internal Application



INTERIOR USE



WATERPROOF



FLEXIBLE



EASY TO APPLY


**1.38kg**

Silver Grey

Charcoal

White

Mid Grey



## Wall Tile Grout

- Ultra-Fine Smooth Mix
- For Narrow Joints Up To 3mm
- Easy To Compact
- Interior & Exterior Use
- Suitable For Showers & Frequently Wet Areas



EXTENDED OPEN TIME



INTERIOR & EXTERIOR




IDEAL FOR CERAMIC & PORCELAIN



SUITABLE FOR SWIMMING POOLS

**10kg**

White



## Mould Resist Flexible Wall & Floor Tile Grout

- For Joints 2-15mm
- Highly Flexible
- Resists Black Mould
- Suitable For Internal & External Use
- Suitable For Most Tile Types



EXTENDED OPEN TIME



INTERIOR & EXTERIOR



SUITABLE FOR SWIMMING POOLS



FLEXIBLE

**5kg**

Jasmine

Dark Grey

White

Light Grey







**Palace Chemicals Limited**  
Speke Hall Industrial Estate,  
Speke, Liverpool,  
Merseyside,  
L24 1YA

---

**T: +44 (0) 151 486 6101**  
**E: [sales@palacechemicals.co.uk](mailto:sales@palacechemicals.co.uk)**  
**W: [www.palacechemicals.co.uk](http://www.palacechemicals.co.uk)**

---



**SCAN FOR  
MORE INFO**

